



SHAKUN POLYMERS LIMITED



MATERIAL SAFETY DATA SHEET FOR LINEAR LOW DENSITY CROSSLINKABLE POLYETHYLENE COMPOUND

Section I – Product and Company Identification

Manufacturer's Name: M/s. Shakun Polymers Limited **Emergency Tel. No.:** 91-265-2335537

Address: 501, Ivory Terrace, R.C. Dutt Road, Baroda – 390 007

Product Name : LINEAR LOW DENSITY CROSSLINKABLE POLYETHYLENE **Reference :** SPL-XLTEK

Section II – Composition / Information on ingredients

Chemical Family: POLYMERS **Formula:** $-(CH_2 - CH_2)_n$

Ethylene based co-polymer

Section III – Hazardous Identification

Paints Preservative & Solvents	%	TLV (Units)	Alloys & Metallic Coatings	%	TLV (Units)
Pigments	NIL	NA	Base metal	NIL	NA
Catalyst	NIL	NA	Alloys	NIL	NA
Volatile	NIL	NA	Metallic coatings	NIL	NA
Solvents	NIL	NA	Filter Metal plus coating or core flux	NIL	NA
Additives (Antioxidants & other Chemicals)	< 2	NA	Others	NIL	NA
Others	NIL	NA			
Hazardous Mixtures of Other Liquids, Solids or Gases				%	TLV (Units)
SHAKUN POLYOLEFIN RESINS ARE NOT CONSIDERED TO BE				NIL	NA
HAZARDOUS UNDER NORMAL PROCESSING CONDITIONS					

Section IV – First Aid Measures

IN CASE OF CONTACT, flush the area with plenty of water. Remove material from clothing, wash clothing before use.

IF SWALLOWED, induce vomiting as directed by medical personnel. Get medical attention. NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON.

IF INHALED remove to fresh air.

Section V – Fire Fighting Measures

Flash Point (Method used) NA Flammable limits NA LEL NA UEL NA

Extinguishing Media WATER, DRY CHEMICAL, CO₂ FOAM

Special Fire Fighting Procedures SHAKUN RESINS ARE COMBUSTIBLE MATERIALS – MOLTEN POLYETHYLENE TENDS TO FLOW OR DRIP AND WILL PROPAGATE FIRE

Unusual Fire and Explosion Hazards	FAILURE OR MALFUNCTION OF TEMPERATURE CONTROL SYSTEM ON PROCESSING EQUIPMENT SUCH AS EXTRUDERS MAY CREATE EXPLOSION HAZARD
------------------------------------	--

Section VI – Accidental Release Measure	
Steps to be taken in case material is released or spilled during shipping or storage	
PELLETS MAY CREATE A SLIPPING HAZARD AND SHOULD BE REMOVED FROM WALKWAYS BY SWEEPING PROPERLY.	
Waste disposal method	
LANDFILL OR INCINERATION AS PER LOCAL LAWS	

Section VII – Handling & Storage	
Handling : Keep the Boxes closed in a cool , dry and well ventilated place. Provide appropriate exhaust ventilation at machinery or where dust is formed .	
Storage : Store under dry conditions . Observe Norms standards of industrial hygiene when handling.	

Section VIII – Exposure Controls / Personal Protection			
Respiratory Protection (specify type)	NONE		
Ventilation	Local Exhaust	RECOMMENDED FOR HIGH TEMPERATURE PROCESSING *	Special --
	Mechanical (General)	--	Other --
Protective Gloves	USE GLOVES WHEN HANDLING HOT MELT	Eye Protection	USE GOGGLES WHEN HANDLING HOT MELT
Other Protective Equipment	LONG SLEEVE SHIRTS & LONG COTTON PANTS TO PROTECT SKIN CONTACT WITH HOT MELT.		

Section IX – Physical & Chemical Properties			
Boiling Point (°C)	NA	Specific Gravity (H ₂ O=1)	< 0.93
Vapour Pressure (mm Hg)	NA	Percent Volatile	< 0.5
Vapour Density (Atr=1)	NA	Evaporation Rate	NA
Solubility in Water	INSOLUBLE		
Appearance and odour	NATURAL PELLETS, HAVING MILD HYDROCARBON ODOUR		

Section X – Stability & Reactivity			
Stability	Unstable	-	Condition to avoid
	Stable	✓	HEATING ABOVE 250°c
Incompatibility (materials to avoid)	STRONG OXIDANTS AT HIGH TEMPERATURE		
Hazardous decomposition products	CO, CO ₂ , HYDROCARBONS, SMOKE, ACRROLEIN		
Hazardous Polymerization	May Occur	--	Conditions to avoid
	Will not occur	✓	NA

Section XI – Toxicological information	
Toxicity Ingested, Inhaled or on Skin	SHAKUM POLYMER IS NOT TOXIC
Irritation to Eyes	NOT APPLICABLE
Irritation on Skin	NOT APPLICABLE
Emergency and First Aid Procedure	NOT CONSIDERED A HAZARD

Section XII – Ecological information	
Ecotoxicological information	No data available
Chemical Fate Information	No data available

Section XIII – Disposal Consideration	
Recover, reclaim or recycle when practical. Disposed of in an approved landfill if allowed locally. Comply with federal, state and local regulations. Dispose of in a permitted waste management facility if landfill is not practical.	

Section XIV – Transport Information	
No special precautions required	

Section XV – Regulatory Information	
Not classified	

Section XVI – Other Information	
NONE	

* Polyethylene degradation products generated during processing may include CO₂, CO, Hydrocarbons and possibly trace amounts of acrolein.